BP48V18

External Battery Pack for UPS Systems



Model #: BP48V18

- Extends runtime of select compatible Tripp Lite UPS Systems with 48V DC external battery connector
- Simple installation; tower and stack adaptable
- 2 year warranty

DESCRIPTION

BP48V18 tower external battery pack offers extended battery runtime when used in conjunction with select Tripp Lite UPS systems. Includes heavy gauge cabling with high current DC connectors for simple installation.

COMPATIBLE UPS SYSTEMS: SMART2200VSXL, SMART3000VS, SMARTINT3000VS and other Tripp Lite UPS systems that specify the use of this battery pack.

KEY BUYING POINTS

- Offers extended-run UPS operation when used in conjunction with compatible Tripp Lite UPS systems
- Pre-wired internal battery sets are ready for installation with no user battery connections required
- Includes heavy gauge cabling with high current DC connectors for simple installation
- 2 year warranty

TYPICAL APPLICATIONS

 Ideal means of lengthening the battery runtime provided by compatible Tripp Lite UPS systems. Additional battery packs may be ordered at time of original UPS purchase or sourced at a later date to extend runtime performance if site power conditions deteriorate and longer battery runtime is desired.

OPTIONS & ACCESSORIES

Extended warranties: 3 Year <u>WEXT3-BP48V</u>, 5 Year <u>WEXT5-BP48V</u>

PACKAGE INCLUDES

- BP48V18 external battery pack
- Warranty information
- Instruction manual

COMPLETE SPECIFICATIONS

 BATTERY

 DC system voltage:
 48V DC

 Typical battery lifespan:
 4-6 years typical (North America)

 Connects to UPS via:
 Attached cable with blue 175 amp DC connector

 PHYSICAL
 PHYSICAL

Shipping weight (lbs):	62
Shipping weight (kg):	28.1
Unit weight (Ibs):	59
Unit weight (kg):	26.8
Unit Dimensions (HWD/in):	7 x 8.5 x 14.5
Unit Dimensions (HWD/cm):	17.8 x 21.6 x 36.8
Shipping Dimensions (HWD/in):	13.5 x 14.5 x 21.5
Shipping Dimensions (HWD/cm):	34.3 x 36.8 x 54.6
Form factors supported:	Floorstanding tower format. Stackable.
CERTIFICATIONS	
Certifications:	UL, cUL, CE, NOM
WARRANTY	
Optional coverage:	3 year & 5 year warranty coverage available
Product warranty:	2 year product warranty

The policy of Tripp Lite is one of continuous improvement. Specifications are subject to change without notice. Therefore, your product may vary slightly from what is currently listed.



Tripp Lite World Headquarters 1111 W. 35th Street Chicago, IL 60609 USA

> Customer Support (773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.